

From: [Cron, Mitch](#)
To: [Don Gunster](#)
Cc: [Matzko, Kristine](#); [Robin Eiseman](#); [Robert Wallace](#); [Jeff Harp - Maryland Dept. of the Environment \(jharp@mde.state.md.us\)](#); [Leipert, Mark](#); (b) (4)
Subject: Central Chemical - Well Installation and Testing Workplan OU-1
Date: Thursday, January 02, 2020 4:27:00 PM

Don:

EPA is in receipt of the following document:

- Well Installation and Testing Workplan, prepared by Geosyntec, dated October 2019
- Response to EPA comments letter, prepared by Geosyntec, dated December 13, 2019

In accordance with Section XI of the RD/RA Consent Decree, this email constitutes **APPROVAL** of the above-referenced documents, subject to the following specified condition:

- Regarding Comment #11, in the Geosyntec letter the PRP's propose the following language be added to the workplan, "...The dioxins/furans data estimated to be available approximately 4 to 6 weeks after packer testing completion, will be reported as an appendix of the 100% Design Report." Within that future appendix, please include narrative which verifies that dioxins/furans migrate through the Site hydrogeologic system similarly to pesticides as asserted on page 5 of the Geosyntec letter.
- Please provide an electronic version (.pdf), and 1 hardcopy of the final Well Installation and Testing Workplan to EPA, MDE, and HGL.

Thanks,

Mitch

Mitch Cron
Environmental Protection Agency
Mail Code 3SD22
1650 Arch Street
Philadelphia, PA 19103-2029
Phone: (215) 814-3286
Email: cron.mitch@epa.gov